

Author Index

- Agüí, L.
—, López-Guzmán, J.E., González-Cortés, A., Yáñez-Sedeño, P. and Pingarrón, J.M.
Analytical performance of cylindrical carbon fiber microelectrodes in low-permittivity organic solvents: determination of vanillin in ethyl acetate 241
- Ahmed, S., see Rigby, G.P. 23
- Almeida, P.J.
—, Rodrigues, J.A., Barros, A.A. and Fogg, A.G.
Voltammetric studies of anthraquinone dyes adsorbed at a hanging mercury drop electrode using fast pulse techniques 287
- Almeida, P.J., see Barros, A.A. 315
- Antelo, J.M., see Fiol, S. 443
- Antonia Mendiola, M., see Jesús Gismera, M. 143
- Arce, F., see Fiol, S. 443
- Bückmann, A.F., see Katz, E. 45
- Baesso, M.L., see Borgo, C.A. 103
- Bardea, A.
—, Dagan, A. and Willner, I.
Amplified electronic transduction of oligonucleotide interactions: novel routes for Tay–Sachs biosensors 33
- Barker, A.L.
—, Gonsalves, M., Macpherson, J.V., Slevin, C.J. and Unwin, P.R.
Scanning electrochemical microscopy: beyond the solid/liquid interface 223
- Barros, A.A.
—, Rodrigues, J.A., Almeida, P.J., Rodrigues, P.G. and Fogg, A.G.
Voltammetry of compounds confined at the hanging mercury drop electrode surface 315
- Barros, A.A., see Almeida, P.J. 287
- Baulin, V.Y., see Petrukhin, O.M. 125
- Bennett, W., see Wang, J. 429
- Bento, A.C., see Borgo, C.A. 103
- Bento, M.F.
—, Geraldo, M.D. and Montenegro, M.I.
Effect of the medium composition on the current of steady state voltammograms of neutral and charged species in dimethylformamide/toluene mixtures 365
- Bessière, J., see Perdicakis, M. 467
- Bessiere, J., see Walcarius, A. 79
- Björefors, F., see Matysik, F.-M. 409
- Bobacka, J.
—, Ivaska, A. and Lewenstam, A.
Plasticizer-free all-solid-state potassium-selective electrode based on poly(3-octylthiophene) and valinomycin 195
- Bobacka, J., see Lindfors, T. 163
- Borgo, C.A.
—, Ferrari, R.T., Colpini, L.M.S., Costa, C.M.M., Baesso, M.L. and Bento, A.C.
Voltammetric response of a copper(II) complex incorporated in silica-modified carbon-paste electrode 103
- Brand, M., see Kirowa-Eisner, E. 325
- Bravo-Díaz, C.
— and González-Romero, E.
A novel method for the determination of vitamin C in natural orange juices by electrochemical monitoring of dediazonation of 3-methylbenzenediazonium tetrafluoroborate 373
- Brett, C.M.A.
—, Inzelt, G. and Kertesz, V.
Poly(methylene blue) modified electrode sensor for haemoglobin 119
- Brett, C.M.A., see Fungaro, D.A. 257
- Budnikov, H.C., see Evtugyn, G.A. 13
- Campanella, L.
—, De Luca, S., Sammartino, M.P. and Tomassetti, M.
A new organic phase enzyme electrode for the analysis of organophosphorus pesticides and carbamates 59
- Carmo Vaz, M., see Lima, J.F.C.C. 437
- Carneiro, P.A., see Zanoni, M.V.B. 385
- Castillo, J.R., see Vidal, J.C. 203
- Castillo, J.R., see Vidal, J.C. 213
- Ceylan, O., see Mark, Jr., H.B. 281
- Chaker, M., see Silva, P.R.M. 249
- Champagne, G.Y., see Silva, P.R.M. 249
- Chevalet, J., see Silva, P.R.M. 249
- Colpini, L.M.S., see Borgo, C.A. 103
- Costa, C.M.M., see Borgo, C.A. 103
- Díaz-Cruz, M.S.
—, Mendieta, J., Monjonell, A., Tauler, R. and Esteban, M.
Zinc-binding properties of the C-terminal hexapeptide Lys–Cys–Thr–Cys–Cys–Ala from mouse metallothionein: analysis by differential pulse polarography and multivariate curve resolution 353

- Dabrio, M.
— and Rodríguez, A.R.
Characterisation of zinc metallothioneins by electroanalytical techniques 295
- Dagan, A., see Bardea, A. 33
- Damlin, P.
—, Kvarnström, C. and Ivaska, A.
An electrochemical quartz crystal microbalance study on growth of and ion transport in electrochemically polymerized poly-(paraphenylene vinylene) 175
- De Luca, S., see Campanella, L. 59
- Delerue-MatosLima, C., see Lima, J.F.C.C. 437
- Despas, C., see Walcarius, A. 79
- Dobay, R.
—, Harsányi, G. and Visy, C.
Detection of uric acid with a new type of conducting polymer-based enzymatic sensor by bipotentiostatic technique 187
- Duarte, E.S., see Zanoni, M.V.B. 385
- Duncan, J., see Lack, B. 393
- Dziwulska, J., see Koncki, R. 451
- El Khakani, M.A., see Silva, P.R.M. 249
- Esteban, M., see Díaz-Cruz, M.S. 353
- Evtugyn, G.A.
—, Ivanov, A.N., Gogol, E.V., Marty, J.-L. and Budnikov, H.C.
Amperometric flow-through biosensor for the determination of cholinesterase inhibitors 13
- Fernandes, J.C.B.
—, Kubota, L.T. and Neto, G.d.O.
Potentiometric biosensor for L-ascorbic acid based on ascorbate oxidase of natural source immobilized on ethylene-vinylacetate membrane 3
- Ferrari, R.T., see Borgo, C.A. 103
- Ferri, T.
— and Sangiorgio, P.
Voltammetric study of the interaction between Se(IV) and dissolved organic matter in environmental aqueous matrices 337
- Fiol, S.
—, López, R., Ramos, A., Antelo, J.M. and Arce, F.
Study of the acid-base properties of three fulvic acids extracted from different horizons of a soil 443
- Fischer, E.
— and van den Berg, C.M.G.
Anodic stripping voltammetry of lead and cadmium using a mercury film electrode and thiocyanate 273
- Flávia Delbem, M., see Katekawa, E. 345
- Fogg, A.G., see Almeida, P.J. 287
- Fogg, A.G., see Barros, A.A. 315
- Fogg, A.G., see Zanoni, M.V.B. 385
- Frakiisky, Y.V., see Petrukhin, O.M. 125
- Fungaro, D.A.
— and Brett, C.M.A.
Microelectrode arrays: application in batch-injection analysis 257
- Furlan, M., see Zanoni, M.V.B. 385
- Glab, S., see Koncki, R. 451
- García, E., see Vidal, J.C. 213
- Gaspar, S.
—, Muresan, L., Patrut, A. and Popescu, I.C.
PFeW₁₁-doped polymer film modified electrodes and their electrocatalytic activity for H₂O₂ reduction 111
- Gastonguay, L., see Silva, P.R.M. 249
- Geraldo, M.D., see Bento, M.F. 365
- Gogol, E.V., see Evtugyn, G.A. 13
- Gonsalves, M., see Barker, A.L. 223
- González-Cortés, A., see Agüí, L. 241
- González-Romero, E., see Bravo-Díaz, C. 373
- Govaert, F.
—, Temmerman, E. and Kiekens, P.
Development of voltammetric sensors for the determination of sodium dithionite and indanthrene/indigo dyes in alkaline solutions 307
- Grosselin, N., see Perdicakis, M. 467
- Guaratini, C.C.I., see Zanoni, M.V.B. 385
- Hammerstrom, D., see Wang, J. 429
- Harsányi, G., see Dobay, R. 187
- Hausner, S., see Mark, Jr., H.B. 281
- Heleg-Shabtai, V., see Katz, E. 45
- Horseman, G., see Rigby, G.P. 23
- Inzelt, G., see Brett, C.M.A. 119
- Ivanov, A.N., see Evtugyn, G.A. 13
- Ivaska, A., see Bobacka, J. 195
- Ivaska, A., see Damlin, P. 175
- Ivaska, A., see Lindfors, T. 163
- Jesús Gismera, M.
—, Antonia Mendiola, M., Rodriguez Procopio, J. and Teresa Sevilla, M.
Copper potentiometric sensors based on copper complexes containing thiohydrazone and thiosemicarbazone ligands 143
- K. Lunsford, S., see Mark, Jr., H.B. 281
- Kanjuk, N.I., see Starodub, N.F. 461
- Katekawa, E.
—, Maximiano, F., Rodrigues, L.L., Flávia Delbem, M. and Serrano, S.H.P.
Electrochemical oxidation of NADH at a bare glassy carbon electrode in different supporting electrolytes 345
- Katz, E.
—, Riklin, A., Heleg-Shabtai, V., Willner, I. and Bückmann, A.F.
Glucose oxidase electrodes via reconstitution of the apo-enzyme: tailoring of novel glucose biosensors 45
- Kertesz, V., see Brett, C.M.A. 119
- Kharitonov, A.B., see Petrukhin, O.M. 125
- Khaskelis, A.I., see Mark, Jr., H.B. 281
- Kiekens, P., see Govaert, F. 307
- Kiekens, P., see Westbroek, P. 423
- Kirowa-Eisner, E.
—, Brand, M. and Tzur, D.
Determination of sub-nanomolar concentrations of lead by anodic-stripping voltammetry at the silver electrode 325

- Koncki, R.
—, Głab, S., Dziwulska, J., Palchetti, I. and Mascini, M.
Disposable strip potentiometric electrodes with solvent-polymeric ion-selective membranes fabricated using screen-printing technology 451
- Kotoucek, M., see Kula, P. 91
- Kreishman, G.P., see Mark, Jr., H.B. 281
- Kubota, L.T., see Fernandes, J.C.B. 3
- Kukla, A.L., see Starodub, N.F. 461
- Kula, P.
—, Navrátilová, Z., Kulová, P. and Kotoucek, M.
Sorption and determination of Hg(II) on clay modified carbon paste electrodes 91
- Kulová, P., see Kula, P. 91
- Kvarnström, C., see Damlin, P. 175
- López, R., see Fiol, S. 443
- López-Guzmán, J.E., see Agüí, L. 241
- Lacasse, R., see Silva, P.R.M. 249
- Lack, B.
—, Duncan, J. and Nyokong, T.
Adsorptive cathodic stripping voltammetric determination of gold(III) in the presence of yeast mannan 393
- Ladouceur, M., see Silva, P.R.M. 249
- Legin, A.
—, Smirnova, A., Rudnitskaya, A., Lvova, L., Suglobova, E. and Vlasov, Y.
Chemical sensor array for multicomponent analysis of biological liquids 131
- Lewenstam, A., see Bobacka, J. 195
- Lewenstam, A., see Lindfors, T. 163
- Lima, J.F.C.C.
—, Delerue-Matos, C. and Carmo Vaz, M.
Flow-injection analysis of Kjeldahl nitrogen in milk and dairy products by potentiometric detection 437
- Lindfors, T.
—, Sjöberg, P., Bobacka, J., Lewenstam, A. and Ivaska, A.
Characterization of a single-piece all-solid-state lithium-selective electrode based on soluble conducting polyaniline 163
- Lu, J., see Wang, J. 429
- Lvova, L., see Legin, A. 131
- Méndez, S., see Vidal, J.C. 203
- Macedo, T.R.A., see Oliveira Brett, A.M. 401
- Macpherson, J.V., see Barker, A.L. 223
- Mark, Jr., H.B.
—, Zhang, H., K. Lunsford, S., Ceylan, O., Khaskelis, A.I., Hausner, S., Robinson, J.F., Russell, G.C., Zimmer, H. and Kreishman, G.P.
Synergetic effects in the flow injection analysis determination of catechol in the presence of excess ascorbic acid by series dual-band amperometric detection 281
- Marques, M.H., see Oliveira Brett, A.M. 401
- Marty, J.-L., see Evtugyn, G.A. 13
- Mascini, M., see Koncki, R. 451
- Matysik, F.-M.
—, Björefors, F. and Nyholm, L.
Application of microband array electrodes for end-column electrochemical detection in capillary electrophoresis 409
- Maximiano, F., see Katekawa, E. 345
- Mendieta, J., see Díaz-Cruz, M.S. 353
- Monjonell, A., see Díaz-Cruz, M.S. 353
- Montenegro, M.I., see Bento, M.F. 365
- Muresan, L., see Gaspar, S. 111
- Nagels, L.J., see Poels, I. 417
- Navrátilová, Z., see Kula, P. 91
- Neto, G.d.O., see Fernandes, J.C.B. 3
- Nikolskaya, E.B., see Yagodina, O.V. 137
- Nyholm, L., see Matysik, F.-M. 409
- Nyokong, T., see Lack, B. 393
- Oliveira Brett, A.M.
—, Macedo, T.R.A., Raimundo, D., Marques, M.H. and Serrano, S.H.P.
Electrochemical oxidation of mitoxantrone at a glassy carbon electrode 401
- Olsen, C., see Wang, J. 429
- Olsen, K., see Wang, J. 429
- Opekar, F.
— and Štulík, K.
Electrochemical sensors with solid polymer electrolytes 151
- Palchetti, I., see Koncki, R. 451
- Patrut, A., see Gaspar, S. 111
- Perdicakis, M.
—, Grosselin, N. and Bessière, J.
Interaction of pyrite pulps with Ag⁺ and Hg²⁺ ions. Electrochemical characterization of micrometric grains 467
- Petrukhin, O.M.
—, Frakiisky, Y.V., Kharitonov, A.B., Urusov, Y.I. and Baulin, V.Y.
Influence of lipophilic anionic compounds on the selectivity of ion-selective electrodes based on podands with phosphoryl complexing groups 125
- Pickard, R.S.
Micromachined biosensor terminals for the study of growing neurons 73
- Pingarrón, J.M., see Agüí, L. 241
- Poels, I.
— and Nagels, L.J.
Potentiometric detection in capillary electrophoresis with a conducting oligomer electrode 417
- Popescu, I.C., see Gaspar, S. 111
- Raimundo, D., see Oliveira Brett, A.M. 401
- Ramos, A., see Fiol, S. 443
- Rigby, G.P.
—, Ahmed, S., Horseman, G. and Vadgama, P.
In vivo glucose monitoring with open microflow – influences of fluid composition and preliminary evaluation in man 23
- Riklin, A., see Katz, E. 45

- Rodríguez, A.R., see Dabrio, M. 295
Rodrigues, J.A., see Almeida, P.J. 287
Rodrigues, J.A., see Barros, A.A. 315
Rodrigues, L.L., see Katekawa, E. 345
Rodrigues, P.G., see Barros, A.A. 315
Rodríguez Procopio, J., see Jesús Gismera, M. 143
Rubinson, J.F., see Mark, Jr., H.B. 281
Rudnitskaya, A., see Legin, A. 131
Russell, G.C., see Mark, Jr., H.B. 281
- Štulík, K., see Opekar, F. 151
Safavi, A.
— and Shams, E.
Determination of trace amounts of copper(II) by adsorptive stripping voltammetry of its complex with pyrogallol red 265
Sammartino, M.P., see Campanella, L. 59
Sangiorgio, P., see Ferri, T. 337
Serrano, S.H.P., see Katekawa, E. 345
Serrano, S.H.P., see Oliveira Brett, A.M. 401
Shams, E., see Safavi, A. 265
Shirshov, Y.M., see Starodub, N.F. 461
Silva, P.R.M.
—, El Khakani, M.A., Chaker, M., Champagne, G.Y., Chevalet, J., Gastonguay, L., Lacasse, R. and Ladouceur, M.
Development of Hg-electroplated-iridium based microelectrode arrays for heavy metal traces analysis 249
Sjöberg, P., see Lindfors, T. 163
Slevin, C.J., see Barker, A.L. 223
Smirnova, A., see Legin, A. 131
Starodub, N.F.
—, Kanjuk, N.I., Kukla, A.L. and Shirshov, Y.M.
Multi-enzymatic electrochemical sensor: field measurements and their optimisation 461
Suglobova, E., see Legin, A. 131
- Tauler, R., see Díaz-Cruz, M.S. 353
Temmerman, E., see Govaert, F. 307
Temmerman, E., see Westbroek, P. 423
Teresa Sevilla, M., see Jesús Gismera, M. 143
Tian, B., see Wang, J. 429
Tomassetti, M., see Campanella, L. 59
Tzur, D., see Kirowa-Eisner, E. 325
- Unwin, P.R., see Barker, A.L. 223
Urusov, Y.I., see Petrukhin, O.M. 125
- Vadgama, P., see Rigby, G.P. 23
Van den Berg, C.M.G., see Fischer, E. 273
Vidal, J.C.
—, García, E. and Castillo, J.R.
In situ preparation of a cholesterol biosensor: entrapment of cholesterol oxidase in an overoxidized polypyrrole film electro-deposited in a flow system. Determination of total cholesterol in serum 213
Vidal, J.C.
—, Méndez, S. and Castillo, J.R.
Electropolymerization of pyrrole and phenylenediamine over an organic conducting salt based amperometric sensor of increased selectivity for glucose determination 203
Visy, C., see Dobay, R. 187
Vlasov, Y., see Legin, A. 131
- Walcarius, A.
—, Despas, C. and Bessiere, J.
Selective monitoring of Cu^(II) species using a silica modified carbon paste electrode 79
Wang, J.
—, Tian, B., Wang, J., Lu, J., Olsen, C., Yarnitzky, C., Olsen, K., Hammerstrom, D. and Bennett, W.
Stripping analysis into the 21st century: faster, smaller, cheaper, simpler and better 429
Wang, J., see Wang, J. 429
Westbroek, P.
—, Temmerman, E. and Kiekens, P.
Measurement and control of hydrogen peroxide concentration in alkaline solution by means of amperometric sensor system 423
Willner, I., see Bardea, A. 33
Willner, I., see Katz, E. 45
- Yáñez-Sedeño, P., see Agüí, L. 241
Yagodina, O.V.
— and Nikolskaya, E.B.
New potentiometric gas-gap sensor 137
Yarnitzky, C., see Wang, J. 429
Zanoni, M.V.B.
—, Carneiro, P.A., Furlan, M., Duarte, E.S., Guaratini, C.C.I. and Fogg, A.G.
Determination of the vinylsulphone azo dye, remazol brilliant orange 3R, by cathodic stripping voltammetry 385
Zhang, H., see Mark, Jr., H.B. 281
Zimmer, H., see Mark, Jr., H.B. 281

